

ULTRA PRIMER & FIBRE SEAL

ASBESTOS COATING SYSTEM

Ultra Prime and Fibre Seal are distributed in New Zealand by: PEEL AWAY NZ LIMITED,
23 SHADDOCK STREET EDEN TERRACE 1021, Auckland NZ free phone: 0800 787 472

Safety Data Sheet:

SECTION 1: Identification of the Material and Supplier

Product Name: FIBRE SEAL
Recommended Use: Water reducible paint finish designed to encapsulate asbestos
Company Name: Commercial Coating Manufacturers
Address: Unit C Bay Park Place Beach Haven New Zealand
Phone: (09) 4834833

Emergency Phone: New Zealand Poisons Centre 0800 764 766

Section 2: Hazards Identification

Hazard Classification: Hazardous according to HSNO Regulations
Not regulated for land transportation under NZS5433
Risk Phrases: None assigned
Safety Phrases: None assigned
Substance Classification: 6.3A, 6.4A, 9.1C
Hazard Statements: Causes eye irritation
Causes skin irritation
Harmful to aquatic life

Section 3: Composition/Information on Ingredients

Ingredients:	%	CAS No	TWA
Blend of Acrylic Resins	10 - 30	Not Known	None Established
Water	40 - 60	7732-18-5	None Established
Proprietary Ingredients	10 - 20	various	None Established

Section 4: First Aid Measures

Eyes: Moderately irritating to eyes
Swallowed: Call NZ Poisons Centre
Skin: Wash contaminated area with warm water and soap
Inhaled: Remove to fresh air
Chronic Health Affects: None Identified
Advice to Doctors: Treat Symptomatically

Although the information and recommendations set down here in this document are presented in good faith and believed to be correct, Commercial Coating Manufactures Ltd makes no representation as to the completeness and accuracy thereof. In no event will Commercial Coating Manufactures Ltd be responsible for damages of any nature what so ever resulting from the use or reliance upon this information. No representations or warranties expressed or implied or merchantability, fitness for purpose or any other nature are made hereunder with respect to information or the product to which the information or Technical Data Sheet refers.

ULTRA PRIMER & FIBRE SEAL

ASBESTOS COATING SYSTEM

Section 5: Fire Fighting Measures

Extinguisher:	Foam, Carbon Dioxide, Dry Chemical
Auto Ignition temperature:	N/A
Lower Explosion Limit:	N/A
Upper Explosion Limit:	N/A
Hazchem Code:	N/A
Flash Point:	N/A

Section 6: Accidental Release Measures

Emergency Procedures: Keep onlookers away and avoid breathing vapours or dust.

Minor Spills: **Clean up immediately**
Minor Spills Continued:

Use absorbent clean materials such as sawdust
Keep spills and cleaning runoffs out of sewers and waterways
Wear protective clothing and breathing equipment
Sweep up
Store in separate container for recovery/disposal

Major Spills: **Contain spill with inert materials such as sand**
Keep spills out of sewers and waterways
Restrict access to area
Notify Fire Brigade
Wear protective clothing and breathing equipment
Stop leak if safe to do so.
Collect recoverable material into labeled containers and dispose in accordance with local by-laws and regulations.

Section 7: Handling & Storage

Storage temperatures: 1°C - 40°C
Avoid damaging containers. Keep lids on securely when not in use.
Do not store with food products.

Section 8 Exposure Control / Personal Protection

National Exposure Standards: None determined for these products

Personal Protection:

Eyes: Use approved eye safety glasses when applying any paint
Hands/Feet: Protective Cover-All's. PVC or rubber gloves and approved safety boots.
Breathing Apparatus: Not required

Section 9: Physical & Chemical Properties

Appearance: Coloured viscous liquid
Odour: low
pH: 7-10
Vapour Pressure: N/A
Vapour Density: N/A
Boiling Point: 100°C
% Volatile: 50 (water)

Although the information and recommendations set down here in this document are presented in good faith and believed to be correct, Commercial Coating Manufactures Ltd makes no representation as to the completeness and accuracy thereof. In no event will Commercial Coating Manufactures Ltd be responsible for damages of any nature what so ever resulting from the use or reliance upon this information. No representations or warranties expressed or implied or merchantability, fitness for purpose or any other nature are made hereunder with respect to information or the product to which the information or Technical Data Sheet refers.

ULTRA PRIMER & FIBRE SEAL

ASBESTOS COATING SYSTEM

Section 10: Stability & Activity

Chemical Stability: Stable under normal handling and storage conditions
Hazardous Decomposition Products: Oxides of carbon and nitrogen
Hazardous Reactions: Not subject to hazardous polymerization.

Avoid freezing, excessive heat and rapid changes in temperature

Section 11: Toxicological Information

No data available on these products

Section 12 Hazards Identification

**No data available on these products.
Do not allow these products to enter the environment**

Section 13: Disposal Considerations

Incinerate the dried product at a licensed site or dispose in accordance with local regulations.

Section 14: Transport Information

UN Number: N/A
Dangerous Goods Class: N/A
Hazchem Code: N/A
Packaging Group: 111

Section 15: Regulatory Information

Group Standard: Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2006-HSR002670
Approved Handler: Not Required

Section 16: Other Information

Date of Preparation: 21/03/2012
References: SDS's for raw materials

Abbreviations:
CAS No Chemical Abstract Service number
TWA Time weighted average

Version 1: 3 Pages -01/11/2018

Although the information and recommendations set down here in this document are presented in good faith and believed to be correct, Commercial Coating Manufactures Ltd makes no representation as to the completeness and accuracy thereof. In no event will Commercial Coating Manufactures Ltd be responsible for damages of any nature what so ever resulting from the use or reliance upon this information. No representations or warranties expressed or implied or merchantability, fitness for purpose or any other nature are made hereunder with respect to information or the product to which the information or Technical Data Sheet refers.