

ULTRA PRIMER & FIBRE SEAL

ASBESTOS COATING SYSTEM

Ultra Prime and **Fibre Seal** are distributed in New Zealand by: PEEL AWAY NZ LIMITED,
23 SHADDOCK STREET EDEN TERRACE 1021, Auckland NZ free phone: 0800 787 472

Safety Data Sheet:

SECTION 1: Identification of the Material and Supplier

Product Name: ULTRA PRIMER

Recommended Use: Water reducible acrylic sealer, specially designed as an exterior asbestos primer

Company Name: Commercial Coating Manufacturers Ltd

Address: 14c Bay Park Place, Beach Haven

Phone: (09) 4834833

Emergency Phone: New Zealand Poisons Centre 0800 764 766

Section 2: Hazards Identification

Hazard Classification: Hazardous according to HSNO Regulations
Not regulated for land transportation under NZS5433

Risk Phrases: None assigned

Safety Phrases: None assigned

Substance Classification: 6.3A, 6.4A, 9.1C

Hazard Statements: Causes eye irritation
Causes skin irritation
Harmful to aquatic life

Although the information and recommendations set down here in this document are presented in good faith and believed to be correct, Commercial Coating Manufactures Ltd makes no representation as to the completeness and accuracy thereof. In no event will Commercial Coating Manufactures Ltd be responsible for damages of any nature what so ever resulting from the use or reliance upon this information. No representations or warranties expressed or implied or merchantability, fitness for purpose or any other nature are made hereunder with respect to information or the product to which the information or Technical Data Sheet refers.

ULTRA PRIMER & FIBRE SEAL

ASBESTOS COATING SYSTEM

Section 3: Composition/Information on Ingredients

Ingredients:	%	CAS No	TWA
Blend of Acrylic Resins	40 - 60	Not Known	None Established
Water	40 - 60	7732-18-5	None Established

Section 4: First Aid Measures

Eyes:	Moderately irritating to eyes
Swallowed:	Call NZ Poisons Centre
Skin:	Wash contaminated area with warm water and soap
Inhaled:	Remove to fresh air
Chronic Health Affects:	None Identified

Advice to Doctors: Treat Symptomatically

Section 5: Fire Fighting Measures

Extinguisher:	Foam, Carbon Dioxide, Dry Chemical
Auto Ignition temperature:	N/A
Lower Explosion Limit:	N/A
Upper Explosion Limit:	N/A
Hazchem Code:	N/A
Flash Point:	N/A

Although the information and recommendations set down here in this document are presented in good faith and believed to be correct, Commercial Coating Manufactures Ltd makes no representation as to the completeness and accuracy thereof. In no event will Commercial Coating Manufactures Ltd be responsible for damages of any nature what so ever resulting from the use or reliance upon this information. No representations or warranties expressed or implied or merchantability, fitness for purpose or any other nature are made hereunder with respect to information or the product to which the information or Technical Data Sheet refers.

ULTRA PRIMER & FIBRE SEAL

ASBESTOS COATING SYSTEM

Section 6: Accidental Release Measures

Emergency Procedures: Keep onlookers away and avoid breathing vapours or dust.

Minor Spills: **Clean up immediately**

Minor Spills Continued:

Use absorbent clean materials such as sawdust

Keep spills and cleaning runoffs out of sewers and waterways

Wear protective clothing and breathing equipment

Sweep up

Store in separate container for recovery/disposal

Major Spills: **Contain spill with inert materials such as sand**

Keep spills out of sewers and waterways

Restrict access to area

Notify Fire Brigade

Wear protective clothing and breathing equipment

Stop leak if safe to do so.

Collect recoverable material into labeled containers and dispose in accordance with local by-laws and regulations.

Section 7: Handling & Storage

Storage temperatures: 1°C - 40°C

Avoid damaging containers. Keep lids on securely when not in use.

Do not store with food products.

Although the information and recommendations set down here in this document are presented in good faith and believed to be correct, Commercial Coating Manufactures Ltd makes no representation as to the completeness and accuracy thereof. In no event will Commercial Coating Manufactures Ltd be responsible for damages of any nature what so ever resulting from the use or reliance upon this information. No representations or warranties expressed or implied or merchantability, fitness for purpose or any other nature are made hereunder with respect to information or the product to which the information or Technical Data Sheet refers.

ULTRA PRIMER & FIBRE SEAL

ASBESTOS COATING SYSTEM

Section 8 Exposure Control / Personal Protection

National Exposure Standards: None determined for these products

Personal Protection:

Eyes: Use approved eye safety glasses when applying any paint

Hands/Feet: Protective Cover-All's. PVC or rubber gloves and approved safety boots.

Breathing Apparatus: Not required

Section 9: Physical & Chemical Properties

Appearance: Low Viscosity milky liquid

Odour: low

pH: 7-10

Vapour Pressure: N/A

Vapour Density: N/A

Boiling Point: 100°C

% Volatile: 50 (water)

Section 10: Stability & Activity

Chemical Stability: Stable under normal handling and storage conditions

Hazardous Decomposition

Products: Oxides of carbon and nitrogen

Hazardous Reactions: Not subject to hazardous polymerization.

Avoid freezing, excessive heat and rapid changes in temperature

Although the information and recommendations set down here in this document are presented in good faith and believed to be correct, Commercial Coating Manufactures Ltd makes no representation as to the completeness and accuracy thereof. In no event will Commercial Coating Manufactures Ltd be responsible for damages of any nature what so ever resulting from the use or reliance upon this information. No representations or warranties expressed or implied or merchantability, fitness for purpose or any other nature are made hereunder with respect to information or the product to which the information or Technical Data Sheet refers.

ULTRA PRIMER & FIBRE SEAL

ASBESTOS COATING SYSTEM

Section 11: Toxicological Information

No data available on these products

Section 12 Hazards Identification

No data available on these products.

Do not allow these products to enter the environment

Section 13: Disposal Considerations

Incinerate the dried product at a licensed site or dispose in accordance with local regulations.

Section 14: Transport Information

UN Number: 1263

Dangerous Goods Class: N/A

Hazchem Code: N/A

Packaging Group: 111

Section 15: Regulatory Information

Group Standard: Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2006-HSR002670

Approved Handler: Not Required

Section 16: Other Information

Date of Preparation: 1/05/2014

References: SDS's for raw materials

Abbreviations:

CAS No Chemical Abstract Service number

TWA Time weighted average

Version 1: 3 Pages -01-11-2018

Although the information and recommendations set down here in this document are presented in good faith and believed to be correct, Commercial Coating Manufactures Ltd makes no representation as to the completeness and accuracy thereof. In no event will Commercial Coating Manufactures Ltd be responsible for damages of any nature what so ever resulting from the use or reliance upon this information. No representations or warranties expressed or implied or merchantability, fitness for purpose or any other nature are made hereunder with respect to information or the product to which the information or Technical Data Sheet refers.